


# Marbella Outdoor Shower

## Ceramic collections

# KORTA



### Ordering Information:

Collection:	Decors:	Foundation Type:	Additional Features:
I	SLS GWL SL GCS SNL SM	CDB PAR	L WT HC LE

### ORDERING INFORMATION

#### Material:

- ❖ *Italiana*, I collection made of The Marazzi porcelain stoneware.

#### Decors:

Decors available for I collection:

- ❖ Saint Laurent Satin (**SLS**)
- ❖ Golden White Lux (**GWL**)
- ❖ Statuario Lux (**SL**)
- ❖ Grigio Carnico Satin (**GCS**)
- ❖ Sahara Noir Lux (**SNL**)
- ❖ Smoke Natural/Matt (**SM**)

#### Foundation Type:

2 options for shower installation:

- ❖ Existing floor, floor covering and drain - installation using chemical dowel and anchor bolts, **CDB**
- ❖ On site foundation pouring with inlayed plate and threaded anchor rods, **PAR**

For more details about installation methods please refer to Installation Instructions (2 documents).

#### Additional features:

With each shower following additional features are possible:

- ❖ Ambient LED lighting by Filix (**L**)
- ❖ Solar heated 15 l / 4 gal water tank (**WT**)
- ❖ Anti-frost heating cable (**HC**)
- ❖ Logo engraving (**LE**)

## **SPECIFICATION FEATURES**

### **Shower System**

Consists of:

- ❖ 4 flexible stainless steel knitted hose ½”
- ❖ 2-way mixing mechanism with faucet and handle designed by Mariner Rubinetterie
- ❖ Ecotech shower head by Mariner Rubinetterie which enables water savings up to 50 %
- ❖ The informed Nattura S shower catalyst with beneficial well-being effects

This basic system is subject to change depending on chosen additions.

### **Water Pressure**

- ❖ Min = 2 bar ~ 29 PSI [lb/in<sup>2</sup>]
- ❖ Max = 4 bar ~ 58 PSI [lb/in<sup>2</sup>]

### **Operating Voltage**

- ❖ 24VDC

### **Maintenance**

Regularly clean with soft cloth.

### **Usage**

- ❖ Outdoor

### **Delivery Box Dimensions/Weight**

- ❖ 2533 x 1068 x 740 mm ~ 100 x 42 x 29 in (Length x Height x Width)
- ❖ 177 kg / 390 lbs



### **Warranty**

3 years warranty regarding defects in material and shower system.

### **Listings and Ratings**

SIQ Certificate of Conformity according to EN 60335-2-105:2005; IPX4 degree of protection.

## CERAMICS



144 kg/318 lbs